

**Publikationen zur Taxonomie und Ökologie amazonischer Spinnentiere**  
**Publications on the taxonomy and ecology of Amazon arachnids**

Höfer, H. (1990): Zur Ökologie der Spinnengemeinschaft eines Schwarzwasser-Überschwemmungswaldes (Igapó) in Zentralamazonien. Dissertation Universität Ulm: 154 S.

Höfer, H. (1990): Responses of ground spiders to the annual flood event in Central Amazonian inundation forests. Abstract: 5th International Congress of Ecology in Yokohama, Japan 1990.

Höfer, H. (1990): The spider community (Araneae) of a Central Amazonian blackwater inundation forest (igapó). Acta Zool. Fennica 190: 173-179.

Höfer, H. (1990): Überlebensstrategien bodenlebender Spinnen in zentralamazonischen Überschwemmungswäldern. Mitt. Dtsch. Ges. Allg. Angew. Ent. 7(4-6): 626-628.

Platnick, N. I., Höfer, H. (1990): Systematics and Ecology of Ground Spiders (Araneae, Gnaphosidae) from Central Amazonian Inundation Forests. American Museum Novitates, New York, 2971: 1-16.

Brescovit, A. D. & Höfer, H. (1993): Aranhas dos gêneros *Lygromma* e *Eilica*, da Amazônia central, Brazil (Araneae, Gnaphosoidea). Iheringia. Sér. Zool., 74: 103-107.

Brescovit, A. D., Höfer, H. (1994): On the spider genus *Zimiromus* (Araneae: Gnaphosidae) in Central Amazonia. Bull. Br. arachnol. Soc., 9(8): 262-266.

Höfer, H., Brescovit, A. D., Adis, J. & Paarmann, W. (1994): The spider fauna of Neotropical tree canopies in Central Amazonia. First Results. Studies on Neotropical Fauna and Environment, 29(1):23-32.

Höfer, H. & Brescovit, A. D., (1994): On the spider genus *Rhoicinus* (Araneae, Trechaleidae) in a central Amazonian inundation forest. J. Arachnol., 22(1): 54-59.

Beck, L., Höfer, H. & Verhaagh, M. (1994): Tropische Diversität, ihre Aufrechterhaltung und deren Mechanismen. Andrias, 13: 5-6.

Martius, C., Höfer, H., Verhaagh, M., Adis, J. & Mahnert, V. (1994): Terrestrial arthropods colonizing an abandoned termite nest in a floodplain forest of the Amazon River during the flood. Andrias, 13: 17-22.

Brescovit, A. D. & Höfer, H. (1994): *Amazoromus*, a new genus of the spider family Gnaphosidae (Araneae) from central Amazonia, Brazil. Andrias, 13: 65-70.

Brescovit, A. D. & Höfer, H. (1994): *Heidrunea*, a new genus of the spider subfamily Rhoicininae (Araneae, Trechaleidae) from central Amazonia, Brazil. Andrias, 13: 71-80.

Höfer, H., Brescovit, A. D. & Gasnier, T. (1994): The wandering spiders of the genus *Ctenus* (Ctenidae, Araneae) of Reserva Ducke, a rainforest reserve in central Amazonia. *Andrias*, 13: 81-98.

Höfer, H. & Brescovit, A. D. (1994): Ergebnisse der Bolivien-Expedition des Staatlichen Museums für Naturkunde Karlsruhe: Spinnen (Araneae). *Andrias*, 13: 99-112.

Vieira, R. S. & Höfer, H. (1994): Prey spectrum of two army ant species in central Amazonia, with special attention on their effect on spider populations. *Andrias*, 13: 189-198.

Höfer, H. & Beck, L. (1995): Die Spinnentierfauna des Regenwaldreservats "Reserva Ducke" in Zentralamazonien I. *Natur und Museum*, 125(12): 389-401.

Gasnier, T., Höfer, H. & Brescovit, A. D. (1995): Factors affecting the "activity-density" of spiders on tree trunks in an Amazonian rainforest. *Ecotropica*, 1(2): 69-77.

Höfer, H. & Beck, L. (1996): Die Spinnentierfauna des Regenwaldreservats "Reserva Ducke" in Zentralamazonien II. *Natur und Museum*, 126(3): 69-85.

Höfer, H. & Brescovit, A. D. (1996): On the genus *Xyccarph* in central Amazonia (Araneae: Oonopidae). *Bull. Br. arachnol. Soc.*, 10(4): 149-155.

Höfer, H., Martius, C. & Beck, L. (1996): Decomposition in an Amazonian rain forest after experimental litter addition in small plots. *Pedobiologia*, 40: 570-576.

Höfer, H., Wollscheid, E. & Gasnier, T. (1996): The relative abundance of *Brotheas amazonicus* (Chactidae, Scorpiones) in different habitat types of a central Amazon rainforest. *J. Arachnol.*, 24: 34-38.

Beck, L., Höfer, H., Martius, C., Römbke, J. & Verhaagh, M. (1997): Bodenbiologie tropischer Regenwälder. *Geographische Rundschau*, 49(1): 24-31.

Höfer, H. & Brescovit, A. D. (1997): On *Ctenus maculisternis* Strand (Araneae, Ctenidae). *Mitt. Zool. Mus. Berlin*. 73(1): 89-93.

Höfer, H. (1997): The spider communities. 19:373-383. In: W. J. Junk (ed.): The central Amazonian river floodplains. Ecology of a pulsing system. *Ecological Studies*, Vol. 126, Springer-Verlag, Berlin.

Vieira, R.S. & Höfer, H. (1998): Efeito do forrageamento de *Eciton burchelli* (Hymenoptera, Formicidae) sobre a araneofauna de liteira em uma floresta tropical de terra firme na Amazônia Central. *Acta Amazonica*, 28(3): 345-351.

Brescovit, A.D., Höfer, H. (1999): Four new species of litter inhabiting *Scytodes* spiders (Araneae, Scytodidae) from Amazonia. *Stud. Neotrop. Fauna & Environm.* 34: 105-113.

Höfer, H., Brescovit, A.D. (2000): A revision of the Neotropical spider genus *Ancylometes* Bertkau (Araneae: Pisauridae). *Insect Systematics & Evolution* 31(3): 323-360.

Gasnier, T.R., Höfer, H. (2001): Patterns of abundance of four species of wandering spiders (Ctenidae: *Ctenus*) in a forest in central Amazonia. *J. Arachnol.*, 29: 95-103.

Gasnier, T.R., Azevedo, C.S. de, Torres-Sanchez, P. & Höfer, H. (2002): Adult size of eight hunting spider species in central Amazonia: temporal variations and sexual dimorphisms. - *Journal of Arachnology*, 30: 146-154.

Bonaldo, A. B., Brescovit, A. D., Höfer, H., Gasnier, T. R. (2003): A araneofauna (Arachnida, Araneae) da Reserva Florestal Adolpho Ducke, Manaus, Amazonas, Brasil. In: *A fauna de Artrópodos da Reserva Florestal Adolpho Ducke* (eds. Fonseca, C. R. V. d. et al.), Manaus: Holos (in press).

Gasnier, T. R., Höfer, H., Torres-Sanchez, M. P., Azevedo, C. S. (2003) : História natural de algumas espécies de aranhas das famílias Ctenidae, Pisauridae, e Lycosidae na Reserva Ducke: bases para um modelo integrado de coexistência. In: *A fauna de Artrópodos da Reserva Florestal Adolpho Ducke* (eds. Fonseca, C. R. V. d. et al.), Manaus: Holos (in press).